



11 ✓ (131)

अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक कानूनिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. 06/01/MP/ENGG/2003/006
June 16, 2005

To
The Principal Secretary,
Manpower Planning Dept.
Govt. of Madhya Pradesh,
Vallabh Bhavan, Bhopal - 462 004.
Madhya Pradesh.

Sub: Extension of approval to GYAN GANGA INSTITUTE OF TECHNOLOGY P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA TRIPURI WARD JABALPUR- 482003 for the year 2005-06-reg.

Sir/ Madam,

As you are aware, **All India Council for Technical Education** has been mandated under the AICTE Act, 1987 to ensure **maintenance of norms and standards** with regard to technical education in the country. In exercise of this mandate, the Council insists on fulfillment of the minimum requirements prescribed for imparting technical education by the institution so that **quality of courses** is not compromised and stakeholders are satisfied. The Council also undertakes an **annual Inspection** of the institutions and conveys deficiencies to them for **rectification**.

It has been observed however that notwithstanding the Council's **repeated advice** to comply with minimum norms and standards, many institutions continue to be **complacent** about taking steps to remedy the deficiencies.

Such institutions suffer from **critical deficiencies** of faculty in proper cadre ratio, qualification, experience and other requirements. Feed back of students with regard to quality of education imparted by such institutions has evoked grave concern. The Expert Committees, following **holistic appraisal** during inspections, have also pointed out severe shortcomings

The institution has been found to be suffering from several deficiencies, which are listed in **Annexure-A** for your perusal. Shortage of faculty is of gravest concern.

The deficiencies in respect of faculty (including proper cadre ratio and qualification etc) could have rendered your institution liable for punitive action including being placed in no admission/ reduced intake category. However the Council has decided to take a lenient view and give you yet another **last opportunity** to rectify the deficiencies particularly with regard to faculty shortage, proper cadre ratio and requisite qualification. Course-wise approved intake in respect of **GYAN GANGA INSTITUTE OF TECHNOLOGY, P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA TRIPURI WARD JABALPUR- 482003**, your institution for the year 2005-06 is as under: -

COURSE (S)	APPROVED INTAKE	APPROVED INTAKE
	2004-05	2005-06
COMPUTER SCI & ENGG	60	60
ELECTRICAL ENGG	60	60
ELECTRONICS & COMM ENGG	60	60
MECHANICAL ENGG	60	60
TOTAL	240.	240.

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002
Indira Gandhi Sports Complex, I. P. Estate, New Delhi - 110 002
दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554
वेबसाइट / Website : www.aicte.ernet.in

by All India Council for Technical Education

Note: - Additional intake/new courses/PIO quota not granted on account of deficiencies in respect of running existing courses/intake.

The above approval is subject to your rectification of deficiencies latest by August end, 2005. A compliance report indicating rectification of deficiencies and details of faculty recruited for each course must be received by the Council, with a copy to concerned Regional Officer latest by **31st August, 2005** to entitle your institution for **extension of approval** for the year **2006-07**.


The compliance report must be accompanied with a **visiting/processing fee as** prescribed by the Council in the form of demand draft in favour of **Member Secretary, AICTE payable at New Delhi**. In the absence of the processing/visiting fee, the compliance report may not be entertained.

Following the compliance report, the Council would verify the status in respect of rectification of deficiencies through physical inspection without any prior intimation. The institution should therefore be prepared for random inspection without any prior notice. Extension of approval for the year 2006-07 shall be dependent on the compliance report and the outcome of the surprise inspection,

Enclosure:- Annexure-A

Note:- Letter also emailed at notified mail id. Details available on website www.aicte.ernet.in

Yours faithfully


(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

Copy to :

1. The Principal,
GYAN GANGA INSTITUTE OF TECHNOLOGY
P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA
TRIPURI WARD
JABALPUR- 482003
2. The Regional officer, AICTE, Central Regional Office, AICTE, Tagore Hostel No. 2, Shamla Hills, Bhopal - 462 002.
3. Director of Technical Education, Govt. of Madhya Pradesh, Satpura Bhavan, 4th Floor, Bhopal - 462 004.
4. The Registrar, Rajiv Gandhi Proudhyogiki Vishvidyalaya, Airport Bye pass Road, Gandhi Nagar Bhopal - 462 036.
(He is requested to complete the process of affiliation for facilitating admissions).
5. Guard File.


(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

189 ✓ A

Name Of Institution	Programme
06/01/Mp/Engg/2003/006 Gyan Ganga Institute Of Technology P.O. Tilwara Ghat, Garha, Near Shah Nala, Tripuri Ward, Jabalpur- 482003	Engineering

Faculty:

- ❖ Senior Faculty in terms of Prof & A.P as per AICTE norms to be appointed.
- ❖ The faculty shortfall and the required cadre ratio as per AICTE norms in all the approved programmes should be fulfilled.
- ❖ Principal eligible as per AICTE norms to be appointed
- ❖ Faculty is the soul of an institution and in the absence thereof an institution cannot impart quality education. However the faculty available with the institution is deficient in respect of the following:

Programme (S)	Faculty Required	Faculty Available	Shortfall No.
Computer Sci & Engg	4	3	1
Electrical Engg	4	3	1

Library Facilities:

- ❖ Against the requirement of 48 journals, only 33 journals are available thereby causing a shortfall of 15 (31.25%)
- ❖ Additional library Books to be procured as per norms / syllabus.

Others:

- ❖ Workshop area is 850 sqm against the requirement of 900 sqm
- ❖ Transport facilities, Canteen not available
- ❖ Internet facilities are not available.
- ❖ Extra curricular and co-curricular activities to be provided.

Chauhan

Programme (S)	Faculty Required	Faculty Available	Shortfall No.
Computer Sci & Engg	4	3	1
Electrical Engg	4	3	1

- ❖ Against the requirement of 48 journals, only 33 journals are available thereby causing a shortfall of 15 (31.25%)
- ❖ Additional library Books to be procured as per norms / syllabus.

- ❖ Workshop area is 850 sqm against the requirement of 900 sqm
- ❖ Transport facilities, Canteen not available
- ❖ Internet facilities are not available.
- ❖ Extra curricular and co-curricular activities to be provided.



//

(13)

अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक प्राधिकृत निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. 06/01/MP/ENGG/2003/006
June 16, 2005

To
The Principal Secretary,
Manpower Planning Dept.
Govt. of Madhya Pradesh,
Vallabh Bhavan, Bhopal - 462 004.
Madhya Pradesh.

Sub: Extension of approval to GYAN GANGA INSTITUTE OF TECHNOLOGY P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA TRIPURI WARD JABALPUR- 482003 for the year 2005-06-reg.

Sir/ Madam,

As you are aware, **All India Council for Technical Education** has been mandated under the AICTE Act, 1987 to ensure **maintenance of norms and standards** with regard to technical education in the country. In exercise of this mandate, the Council insists on fulfillment of the minimum requirements prescribed for imparting technical education by the institution so that quality of courses is not compromised and stakeholders are satisfied. The Council also undertakes an annual **Inspection** of the institutions and conveys deficiencies to them for rectification.

It has been observed however that notwithstanding the Council's repeated advice to comply with minimum norms and standards, many institutions continue to be **complacent** about taking steps to remedy the deficiencies.

Such institutions suffer from **critical deficiencies** of faculty in proper cadre ratio, qualification, experience and other requirements. Feed back of students with regard to quality of education imparted by such institutions has evoked grave concern. The Expert Committees, following **holistic appraisal** during inspections, have also pointed out severe shortcomings

The institution has been found to be suffering from several deficiencies, which are listed in **Annexure-A** for your perusal. Shortage of faculty is of gravest concern.

The deficiencies in respect of faculty (including proper cadre ratio and qualification etc) could have rendered your institution liable for punitive action including being placed in no admission/ reduced intake category. However the Council has decided to take a lenient view and give you yet another **last opportunity** to rectify the deficiencies particularly with regard to faculty shortage, proper cadre ratio and requisite qualification. Course-wise approved intake in respect of **GYAN GANGA INSTITUTE OF TECHNOLOGY, P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA TRIPURI WARD JABALPUR-482003**, your institution for the year 2005-06 is as under: -

COURSE (S)	APPROVED INTAKE 2004-05	APPROVED INTAKE 2005-06
COMPUTER SCI & ENGG	60	60
ELECTRICAL ENGG	60	60
ELECTRONICS & COMM ENGG	60	60
MECHANICAL ENGG	60	60
TOTAL	240.	240.

Sr

100

Note: - Additional intake/new courses/PIO quota not granted on account of deficiencies in respect of running existing courses/intake.

The above approval is subject to your rectification of deficiencies latest by August end, 2005. A compliance report indicating rectification of deficiencies and details of faculty recruited for each course must be received by the Council, with a copy to concerned Regional Officer latest by **31st August, 2005** to entitle your institution for **extension of approval** for the year **2006-07**.

The compliance report must be accompanied with a **visiting/processing fee** as prescribed by the Council in the form of demand draft in favour of **Member Secretary, AICTE payable at New Delhi**. In the absence of the processing/visiting fee, the compliance report may not be entertained.

Following the compliance report, the Council would verify the status in respect of rectification of deficiencies through physical inspection without any prior intimation. The institution should therefore be prepared for random inspection without any prior notice. Extension of approval for the year 2006-07 shall be dependent on the compliance report and the outcome of the surprise inspection.

Enclosure:- Annexure-A

Note:- Letter also emailed at notified mail id. Details available on website www.aicte.ernet.in

Yours faithfully



(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

Copy to :

1. The Principal,
GYAN GANGA INSTITUTE OF TECHNOLOGY
P.O. TILWARA GHAT, GARHA, NEAR SHAH NALA
TRIPURI WARD
JABALPUR- 482003
2. The Regional officer, AICTE, Central Regional Office, AICTE, Tagore Hostel No. 2, Shamlu Hills, Bhopal - 462 002.
3. Director of Technical Education, Govt. of Madhya Pradesh, Satpura Bhavan, 4th Floor, Bhopal - 462 004.
4. The Registrar, Rajiv Gandhi Pradyogiki Vishwavidyalaya, Airport Bye pass Road, Gandhi Nagar Bhopal - 462 036.
(He is requested to complete the process of affiliation for facilitating admissions).
5. Guard File.



(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

129

A

Name Of Institution	Programme
06/01/Mp/Engg/2003/006 Gyan Ganga Institute Of Technology P.O. Tilwara Ghat, Garha, Near Shah Nala, Tripuri Ward, Jabalpur- 482003	Engineering

Faculty:

- ❖ Senior Faculty in terms of Prof & A.P as per AICTE norms to be appointed.
- ❖ The faculty shortfall and the required cadre ratio as per AICTE norms in all the approved programmes should be fulfilled.
- ❖ Principal eligible as per AICTE norms to be appointed
- ❖ Faculty is the soul of an institution and in the absence thereof an institution cannot impart quality education. However the faculty available with the institution is deficient in respect of the following:

Programme (S)	Faculty Required	Faculty Available	Shortfall No.
Computer Sci & Engg	4	3	1
Electrical Engg	4	3	1

Library Facilities:

- ❖ Against the requirement of 48 journals, only 33 journals are available thereby causing a shortfall of 15 (31.25%)
- ❖ Additional library Books to be procured as per norms / syllabus.

Others:

- ❖ Workshop area is 850 sqm against the requirement of 900 sqm
- ❖ Transport facilities, Canteen not available
- ❖ Internet facilities are not available.
- ❖ Extra curricular and co-curricular activities to be provided.

Ch